



DELICIOUS
FRESH
QUICK

- ③ Multi-function Dough Forming Production Line
- ③ Automatic Pineapple Bun Production Line
- ③ Multi-function Flaky Pastry Production Line
- ③ Multi-function Moon Cake Production Line
- ③ Chinese Noodle Production Line
- ③ Automatic Multi-function Toast Production Line

» Increase profit » Decrease cost » Strengthen production line



专业食品机械制造&整厂规划 Professional Food Manufacture & Whole Plant Planning

阳政机械有限公司(台湾总厂)

YANG JENQ MACHINERY CO.,LTD

地址(Add): 台湾省新北市八里区大坎三街15街
1F, No.15, Dakan 3rd St., Bali Dist. New Taipei City
249005, Taiwan

电话(Tel): +886-2-26105549

邮箱(E-mail): yj1972@yangjenq.com.tw

安徽阳政智能设备有限公司

ANHUI YANG JENQ INTELLIGENT EQUIPMENT CO., LTD (WUHU BRANCH)

地址(Add): 安徽省芜湖市开发区万春街道新胜路33号
33 Xincheng Road, Wanchun Street, Wuhu Economic and
Technological Development Zone

电话(Tel): +86-0553-3837999

邮箱(E-mail): yangjenq@yangjenq.com



了解更多咨询
请关注微信公众号

咨询热线 400-150-8077



以质取胜

追求完美

ENJOY GOURMET MEALS.
TASTE LIFE'S GOODNESS.

CONTENTS

>>> 目录
contents



以质取胜，追求完美。

阳政自1972年成立以来，以提供专业多元化技术服务为目标，目前已成为国内具有规模的专业食品机械制造商之一。

我们以“食品业全方位伙伴”作为整体管理的指标，依据国内业界需求不断研究开发符合客户需求的设备之外，更因应国外应用趋势，配合客户需求提供产品规划等专业化服务，以协助客户拓展商机并创造“互动双赢”的共荣关系。

我们秉持“创新服务”的精神，不断致力于产品开发创新，不模仿他人之产品，由零做起至今，荣获台湾中央标准局及德国、日本、美国、大陆、台湾等多国地区专利近百余之多，这不仅是本公司的自我期许与承诺，也是对食品业界的一大利多与保障。

Win By Quality & Pursue Perfection

It is our goal to provide professional services since YANG JENQ set up in 1972. Now, we had become one of the biggest professional food- making machinery manufac-turers.

"Best supplier/partner in food industry" is our principle to run business. Keeping research and develop equipments to needs of customer in Taiwan, also, offer specialized production design and tailor-made services to help customers broaden business and create "Win-Win" relationships.

By continuously innovation research and promote our own brand, YANG JENQ Machinery never copy others since now. We persisted in researching to achieve more than 100 patents in Taiwan, German, Japan, America, Mainland China...etc. It is not only our expectation and promise but also a great advantage to food industry.

多功能面团成型生产线

Multi-function Dough Forming Production Line.....2

自动化菠萝面包生产线

Automatic Pineapple Bun Production Line.....4

月饼生产线

Multi-function Moon Cake Production Line.....6

中式面点生产线

Chinese Noodle Production Line.....8

复合式自动化吐司生产线(产能1.2~2.3吨/每小时/单线)

Automatic Multi-function Toast Production Line(Capacity 1.2~2.3T /per hr/per line).....10





多功能面团成型生产线 Multi-function Dough Forming Production Line

特色 Features

- 将面带放置入面滑轮后，经过一道可调整厚薄之滚轮，整压出符合需求之标准面皮，开启给馅机选配产品所需出料规格，经卷轮装置将面皮包覆馅料并卷成长条状，开启捏断装置并设定捏断长度，生产所需产品规格。

According the thickness requirements first. Then sheeting the douah on the conveyor and press under a set of rollers. run the filling extruder to cover the filling inside. Finally turn on the twisting machine to shape the suitable product.

- 品质稳定，产品重量误差不超过3克。
The weight and quality are stable, Deviation is within 3g.

- 产品规格，长度，大小皆可调整设定。
Users can adjust the specification of length.

- 产能：1000~7200个/每小时。
Cpacity: 1000-7200 pcs/h.




特色 Features

- 将面带放置入面滑轮后，- 经过一道可调整厚薄之滚轮，整压出符合需求之标准面皮，开启给馅机，选配产品所需出料嘴规格，经卷轮装置将面皮包覆馅料并卷成长条状，开启切断装置生产所需产品规格。

According the thickness requirements first. Then sheeting the dough on the conveyor and press under a set of rollers, run the filling extruder to cover the filling inside. Finally turn on theguillotine machine to shape the suitable product.

- 产能：1000~12000个/每小时。
Capacity: 1000-12000 pcs/h.




机台规格 Specification

品名 Name	尺寸 Dimension (mm)	功率 Power(kw)	产能 Capacity(pcs/H)
捏圆产品生产线 Twisting Production Line Is Specialised In Filled Product	5600X1100X1780	5.55	1000-7200
刀切产品生产线 Guillotine Production Line Is Specialised In Cutting Product	5000X1100X1690	5.40	1000-12000

多功能面团成型生产线 Multi-function Dough Forming Production Line

特色 Features

- 1.周边配备采模组化设计。
 - 2.不破坏面皮组织，不发热，保持传统手工风味。
 - 3.品质稳定，重量误差小。
 - 4.产品规格、长度、大小皆可调整设定。
1. Modularization design applied in all the auxiliary machinery.
 2. More gentle sheeting to keep the taste the same as handmade.
 3. The weight and quality are stable. Deviation is within 3g.
 4. Users can adjust the specification, length, weight.



机台规格 Specification

型号 Model	尺寸 Dimension (mm)	重量 Weight (kg)	功率 Power(kw)
YJ-1510S/M/L	3500X590X1690/3500X670X1690/3500X730X1690	585/620/640	3.25
YJ-2510M/L	4200X670X1800/4200X730X1800	700	3.3
YJ-SE51	750X500X1440	75	0.75
YJ-SE511	750X500X1400	140	0.75
YJ-SE53	780X500X1200	60	0.75
YJ-SE533	1000X500X1250	115	0.75
YJ-SW45	1300X850X1400	285	1.5
YJ-SW48	1150X880X900	154	0.5
YJ-SW49	1475X765X1400	278	1.7
YJ-SW50	1315X926X745	195	1.5
YJ-STB35	1500X500X1400	160	1


重量 范围	轮宽(S) 130mm- 25~50g 轮宽(M)220mm- 25~100g 轮宽(L)300mm- 25~150g(圆重产品) 包馅长型产品最大300g 长度范围1~80cm(切断产品)
Range of weight	Roller width 130mm-20~50g(Round) Roller width 220mm-20~100g(Round) Roller width 300mm-20~150g(Round) Max weight 300g(Long shape) Max length 80cm(Cutting)
产能 范围	1000-7200个/每小时(捏圆产品) 1000-3600个/每小时(顶底产品) 1000-12000个/每小时(切断产品)
Capacity	1000-7200 pcs/hr (Twisting) 1000-3600 pcs/hr(Pessing up) 1000-12000 pcs/hr(Cutting)

选配设备 Optional equipment





自动化菠萝面包生产线 Automatic Pineapple Bun Production Line



适用产品 Suitable Product

甜面包、菠萝面包、吐司、餐包、汉堡面包、热狗面包..等。
Sweet bread, Pineapple bread, Sliced bread, Custard bread, Hot dog bread, Hamburger bun, etc.

机台规格 Specification

型号 Model	尺寸 Dimension (mm)	重量 Weight (kg)	功率 Power(kw)
YJ-1510M	3500X670X1690	620	3.25
YJ-SE600S	950X700X1500	300	0.8
YJ-SW45	1300X850X1400	285	1.5
YJ-SE55	1200X850X1350	220	3
YJ-PF01	870X700X1060	110	0.3
YJ-850C	1600X540X1035	275	1.2
YJ-860	1800X1260X1480	465	1.6

重量范围 | 轮宽(M)220mm
产品克重25-100克
包馅产品最大300克

Range of weight | Rollerer width(M) 220mm
Weight 25-100g(Round)
Max 300g(Long shape)

产能范围 | 1000-7200个/每小时
1000-3600个/每小时(顶平产品)

Capacity | 1000-7200 pcs/hr (Twisting)
1000-3600 pcs/hr(Pessing up)

选配设备 Optional equipment



YJ-PF01
Rotary Powder Spraying Machine
喷粉机




YJ-SE55
Pineapple Pastry Covering Machine
菠萝包盖皮机



YJ-SE600S
Separate Filling Machine
多重馅料给馅机

自动化菠萝面包生产线 Automatic Pineapple Bun Production Line



适用产品 Suitable Product

千层酥饼、老婆饼、太阳饼、一口酥、绿豆糕...等
Layered pastry, Sweetheart pastry, Green bean pastry, etc.

机台规格 Specification

型号 Model	尺寸 Dimension (mm)	重量 Weight (kg)	功率 Power(kw)
YJ-1510M	3500X670X1690	620	3.25
YJ-SE600S	950X700X1500	300	0.8
YJ-SW45	1300X850X1400	285	1.5
YJ-851	2182X655X1330	420	2
YJ-PS01	1000X650X1350	150	1
YJ-860	1800X1260X1480	465	1.6
YJ-868B	2935X1025X1966(盘规600X400X20)	600	2.5

重量范围 | 轮宽(M)220mm
产品克重25-100克
包馅产品最大300克

Range of weight | Rollerer width(M) 220mm
Weight 25-100g(Round)
Max 300g(Long shape)

产能范围 | 1000-7200个/每小时
1000-3600个/每小时(顶平产品)

Capacity | 1000-7200 pcs/hr (Twisting)
1000-3600 pcs/hr(Pessing up)

选配设备 Optional equipment



YJ-868B
Auto Stacking Machine (Floor Type)
自动插盘机



YJ-851
The Thickness Pressing Machine
杆薄机



YJ-PS01
Sprinkle Machine
喷蛋撒料机



月饼生产线 Multi-function Moon Cake Production Line



YJ-850C Stamping Machine
自动印饼机

适用产品 Suitable Product

各式广式月饼、汤圆、凤梨酥、曲奇、麻薯...等。
Moon cake, Dumping, Pineapple cake, Cookie, Mocha, etc.


特色 Features

- 1.包馅机探垂直螺杆送料方式，降低馅料与面皮过度搅拌破坏原始风味。
 - 2.印饼配合伸缩模具设计，精确定位与退模，吹气配合，产品不黏膜跳动。
 - 3.印饼自动调整双边传动搓圆装置、确保打饼成型均匀度。
 - 4.排盘双伺服及PLC控制系统，定位精准，可提高生产效能。
 - 5.排盘内建15组记忆功能、可自由设定排列方式记忆参数。
1. Vertical screw design could reduce the destruction of the original flavor of material.
 2. Mould is strethed, precisely positioning and shrinking, pressing together with blowing.
 3. The bilateral transmission rubbing the round device, guarantee the degree of consistency of product shaping.
 4. Double servo & PLC controllng system, accurate positioning can improve production efficiency.
 5. Aligning machine function can save 15 data, customer can set up data according to production requirement.

适用出口 Suitable Nozzle

产品总重 Product Weight	适用出口 Suitable Nozzle		产品总重 Product Weight	适用出口 Suitable Nozzle	
12 ~ 30克 (Gram)	Large(大) ψ20	Large(中) ψ16	45 ~ 85克 (Gram)	Large(大) ψ40	Large(中) ψ45
20 ~ 35克 (Gram)	Large(大) ψ25	Large(中) ψ28	80 ~ 150克 (Gram)	Large(大) ψ50	Large(中) ψ55
25 ~ 50克 (Gram)	Large(大) ψ30	Large(中) ψ35	125 ~ 200克 (Gram)	Large(大) ψ55	Large(中) ψ58

YJ-850C立体造型饼模 Stamping Mold




机台规格 Specification

型号 Model	尺寸 Dimension (mm)	重量 Weight (kg)	功率 Power(kw)
YJ-880S	1550X850X1600	460	2.5
YJ-880T	1550X850X1950	480	2.7
YJ-900S	1460X888X1510	460	3
YJ-900T	1460X888X1853	480	3.2
YJ-500K	1350X950X1700	400	5.5
YJ-500T	1350X950X1850	420	5.5

型号 Model	尺寸 Dimension (mm)	重量 Weight (kg)	功率 Power(kw)
YJ-550K	1350X1000X1700	420	5.5
YJ-550T	1350X1000X1850	440	5.5
YJ-850C	1600X540X1035	275	1.2
YJ-860	1800X1260X1480	465	1.6
YJ-260	950X650X900	390	2.2
YJ-858	1300X580X930	190	0.5

选配设备 Optional equipment



YJ-880S
Multi-function Encrusting Machine
多功能包馅机

YJ-880T
Multi-function Encrusting Machine
多功能包馅机

YJ-900S
Multi-function Encrusting Machine
多功能包馅机

YJ-900T
Multi-function Encrusting Machine
多功能包馅机

YJ-500K
Multi-function Encrusting Machine
多功能包馅机

YJ-500T
Multi-function Encrusting Machine
多功能包馅机

YJ-550K
Multi-function Encrusting Machine
多功能包馅机

YJ-550T
Multi-function Encrusting Machine
多功能包馅机

YJ-850C
Automatic Stamping Machine
自动印饼机


YJ-860
Automatic Arrangement Machine
自动排盘机

YJ-260
Air Exhausting Machine
排气机

YJ-858
Decorating Machine
压花抹蛋机



中式面点生产线
Chinese Noodle Production Line



自动排盘
Tray arrangement



自动垫纸
Paper pave




抓花&扭花
Forming & rubbing



捏圆成型
Twisting



自动接面
Automatically connect
dough sheet



揉面整型
Rolling & kneading



压面
Kneading



面带爬升设计
Dough sheet
climbing design



导面分块
Dough sheeting / kneading
and dividing

机台规格 Specification

型号 Model	尺寸 Dimension (mm)	重量 Weight (kg)	功率 Power(kw)
YJ-267	3000X1050X1750	350	3.75
YJ-240	1315X1025X1385	650	2.25
YJ-241pro	1350X1000X1450	723	3.5
YJ-650M/L	2500X530X1550/2500X630X1550	277/300	1
YJ-220	3250X660X1250	325	1.8
YJ-230	2300X1150X1450	1020	6.75
YJ-PP80	1970X660X1480	190	1
YJ-HM50	700X730X1350	130	0.5
YJ-SS01	1000X650X1350	150	1

选配设备 Optional equipment



YJ-267
Dough Sheetting
Machine
面团导面整型机



YJ-240
Automatic Dough
Kneading Machine
自动连续压面机



YJ-241pro
Automatic Dough
Kneading Machine
自动连续压面机

选配设备 Optional equipment



YJ-650
Dough Dividing and
Sheetting Machine
输送整型机



YJ-220
Dividing
Machine
分割面带整型机



YJ-230
Automatically Connect Dough
Sheetting Machine
三层接面机



YJ-PP80
Bottom Paper
Moving Machine
垫纸机



YJ-HM50
Imitational Handmade
Bun Machine
抓包机



YJ-SS01
Sprinkle
Machine
撒料机



复合式自动化吐司生产线(产能1.2~2.3吨/每小时/单线) Automatic Multi-function Toast Production Line(Capacity 1.2~2.3T /per hr/per line)



17 自动排列系统
Auto large-scale aligning system



16 伺服切断传动
Cutting transmission by servo control system



15 分流4条产线 (产能4倍)
Separate 3 lines for forming production (Capacity triple)



14 第三道厚度成形杆压
Finally thickness kneading process



13 第二道12支行星轮压面
Key point kneading process (12 pcs roller design)




12 第一道轮入面杆压
Main first kneading process



11 Z字形面带转弯设计
Z type corner design



10 杆压
Kneading / Sheeting process



9 入面输送→杆压
Deliver dough sheet, ready for kneading



8 滑轨式三层输送设计
(延长松弛时间)
Slide rail type three-level conveyor design (Extend resting time)



7 面带压面 (PLC伺服传动控制)
Dough kneading/sheeting process (Servo transmission)



6 面带松弛输送 (2次)
Dough sheet resting (Second)



5 面带压面 (PLC伺服传动控制)
Dough kneading/sheeting process (Servo transmission)



4 面带松弛输送 (1次)
Dough sheet resting (First)



3 自动导面设计 (汽缸切断传动)
Auto dough guiding design (Cylinder cutting transmission)



2 面带爬升设计
Dough sheet climbing design



1 汽缸式传动 (自动切断分块)
Cylinder type transmission (Cut off dough automatically)